

ECK

Landmaschinenbau

Pricelist 2018 / 01

Power Harrows - CARBID

Drills - C-drill 9

Trailed drillcombination - FXE

Axon roll



Overby Export Consulting



We move Denmark out

Contact information:

E-mail: tov@overbyexportconsulting.com

Web: www.overbyexportconsulting.com

Phone: +45 20 59 51 16

harrow CARBID 6 for heavy soils with medium stones

medium series
for tractors to 190 horsepower (140 KW)



Headstock for Cat. III with side braces and EasyFit attachments system.
Lower link pins with double bearing side shields ergonomically designed and performed in parallel

Portal transmission - perfect smoothness of up to 40% longer hinge shaft 540, 750, 1000, 1250, 1400 1 / min times with tool-free quick-change system and high creep strength (300 mm / material 15 x 8) Zinc carrier from high-quality forged steel double bearing cap for 100% Gearbox protection parallel roller adjustment, depth regulation with plug pin joint shaft with overlock clutch 3/8 / tractor side 1 3/8 "Z 6

Specifications for harrow CARBID 6 (190 hp)										
model	mass	Roll rod		Tooth packer roller		Axon - roll		Axon - roll		power requirement
		without roller	6 Tubes / 380 mm	8 tubes / 480 mm	480 mm	560 mm	450 mm / Mat, 4 mm	450 mm / Mat, 6 mm	560 mm / Mat, 6 mm	
CARBID 6-250	680 kg	-	760 kg	760 kg	930 kg	960 kg	840 kg	1020 kg	1260 kg	80 horsepower (60 KW)
CARBID 6-300	800 kg	-	890 kg	910 kg	1120 kg	1150 kg	1130 kg	1230 kg	1540 kg	70 horsepower (53 KW)
CARBID 6-400	950 kg	-	-	1130 kg	1480 kg	1520 kg	-	-	1880 kg	80 horsepower (60 KW)
CARBID 6-450	1150 kg	-	-	1290 kg	1650 kg	1690 kg	-	-	2290 kg	100 horsepower (75 KW)

List prices for harrow CARBID 6 plus VAT.										
model	price	with roll rod		Tooth packer roller		Axon - roll		Axon - roll		
		without roller	6 Tubes / 380 mm	8 tubes / 480 mm	480 mm	560 mm	450 mm / Mat, 4 mm	450 mm / Mat, 6 mm	560 mm / Mat, 4 mm 560 mm / Mat, 6 mm	
CARBID 6-250	7410,00 €	-	7,750,00 €	7930,00 €	8960,00 €	9230,00 €	9660,00 €	9980,00 €	10,790,00 €	11,230,00 €
CARBID 6-300	8,650,00 €	-	9,000,00 €	9220,00 €	10,310,00 €	10,630,00 €	11,120,00 €	11,490,00 €	12,410,00 €	12,900,00 €
CARBID 6-400	11,320,00 €	-	-	11,970,00 €	13,370,00 €	13,810,00 €	-	-	15,700,00 €	16,290,00 €
CARBID 6-450	12,560,00 €	-	-	13,320,00 €	14,810,00 €	15,320,00 €	-	-	17,690,00 €	18,340,00 €

Special equipment for harrow CARBID 6	
equipment	List price exclusive, plus VAT.
Impact rail with trapezoidal steering for CARBID 6-250	550,00 €
Impact rail with trapezoidal steering for CARBID 6-300	610,00 €
Impact rail with trapezoidal steering for CARBID 6-400	860,00 €
Impact rail with trapezoidal steering for CARBID 6-450	940,00 €
Walterscheid pto shaft cam clutch W 2500	470,00 €
Parallel guided roller adjustment	230,00 €
Attachments mechanically incl. Top link	960,00 €
Hydraulic attachments (2 cylinder)	1,710,00 €
Stroke limiter for attachments hydraulically	210,00 €
Mounting triangle for Pneutec drill / Accord	450,00 €
Track loosener, 2 goosefoot (300 mm wide) on a frame	700,00 €
Track loosener, 4 coulters (60 mm wide) on a frame	920,00 €
Disc track hydraulically 2,50 m and 3,00 m	1,100,00 €
Disc track hydraulically 4,00 m and 4,50 m	1,220,00 €
Shuttle valve for marker	210,00 €
Front mounting frame with upper link (solo)	920,00 €
Front PTO shaft with shear pins 1 3/8 "Z 6 - 1 3/8" Z 6	360,00 €
Front equipment cpl. 2500 (with the second front roll rod on frame and front hitch)	1,610,00 €
Front equipment cpl. 3000 (with 2. Front bar roller on the frame and front trestle)	1,720,00 €
Front equipment cpl. 4000/4500 (with 2. Front bar roller on the frame and front trestle)	1,920,00 €
Harrow lines with hardfacing to 2,50 m (with coating)	390,00 €
Harrow lines with hardfacing to 3,00 m (with coating)	470,00 €
Harrow lines with hardfacing to 4,00 m (with coating)	610,00 €
Harrow lines with hardfacing for 4,50 m (with coating)	€ 690,00
Lighting system with warning signs for the back	250,00 €
Lighting system with warning signs for front and rear	€ 300,00




Zapfwellen- geschwindigkeit 1/min		Drehzahltable CARBID 6					
		430	540	750	1000	1250	1400
Zahnradpaarung	17 26	126	158	220	293	366	410
	18 25	139	174	242	323	403	452
	19 24	153	192	266	355	444	497
	20 23	168	210	292	390	487	546
	21 22	184	231	321	428	535	
	23 20	222	278	387	516		
	24 19	243	306	425	566		
	25 18	268	336	467			
26 17	295	370	514				

VAT.

price Prices are plus freight



Overby Export Consulting



We move Denmark out

Contact information:
E-mail: tov@overbyexportconsulting.com
Web: www.overbyexportconsulting.com
Phone: +45 20 59 51 16

valid from January 2018

harrow CARBID 8 for heavy soils, even with heavy stones

heavy series
for tractors to 290 horsepower (220 kW)



Three-point tower for Cat. II and III with lateral attachment braces and EasyFit system, Lower link pins with double bearing side shields ergonomically designed and performed in parallel

Portal transmission - perfect smoothness of up to 40% longer hinge shaft 540, 750, 1000, 1250, 1400 1 / min tines with tool-free quick-change system and high creep strength (300 mm / material 15 x 80) Zinc carrier from high-quality forged steel double bearing cap for 100% Gearbox protection parallel roller adjustment, depth regulation with plug pin joint shaft with overload clutch, shear pin coupling / tractor side 1 3/8" 2" 6



Specifications for harrow CARBID 8 (to 290 hp)								
model	mass without roller	Roll rod 8 tubes / 480 mm	Tooth packer roller 480 mm	Tooth packer roller 560 mm	Axton - roll 450 mm / Mat, 4 mm 450 mm	Axton - roll Mat, 6 mm 560 mm / Mat, 6 mm	Axton - roll	power requirement
CARBID 8-250	910 kg	1000 kg	1170 kg	1200 kg	1185 kg	1290 kg	1500 kg	40 horsepower (45 kW)
CARBID 8-300	1100 kg	1200 kg	1485 kg	1495 kg	1480 kg	1560 kg	1940 kg	50 horsepower (45 kW)
CARBID 8-400	1470 kg	1610 kg	1890 kg	1990 kg	-	-	2410 kg	60 horsepower (48 kW)
CARBID 8-450	1650 kg	1800 kg	1650 kg	1720 kg	-	-	2780 kg	100 horsepower (78 kW)

List prices for harrow CARBID 8 plus. ges. VAT.								
model	price without roller	With roll rod 8 tubes / 480 mm	Tooth packer roller 480 mm	Tooth packer roller 560 mm	Axton - roll 450 mm / Mat, 4 mm 450 mm	Axton - roll Mat, 6 mm 560 mm / Mat, 4 mm 560 mm / 6 mm Mat.	Axton - roll	Axton - roll
CARBID 8-250	8,950.00 €	9350.00 €	10,640.00 €	10,890.00 €	11,240.00 €	11,540.00 €	12,260.00 €	12,690.00 €
CARBID 8-300	10,190.00 €	10,690.00 €	11,720.00 €	11,990.00 €	12,370.00 €	12,690.00 €	13,560.00 €	14,040.00 €
CARBID 8-400	12,860.00 €	13,280.00 €	14,570.00 €	14,930.00 €	-	-	16,690.00 €	17,280.00 €
CARBID 8-450	14,100.00 €	13,590.00 €	15,770.00 €	16,190.00 €	-	-	19,010.00 €	19,660.00 €

Special equipment for harrow CARBID 8	
equipment	List price exclusive, plus VAT
Impact rail with trapezoidal steering for CARBID 8-250	550.00 €
Impact rail with trapezoidal steering for CARBID 8-300	610.00 €
Impact rail with trapezoidal steering for CARBID 8-400	860.00 €
Impact rail with trapezoidal steering for CARBID 8-450	940.00 €
Front rail for CARBID 8-250	420.00 €
Front rail for CARBID 8-300	440.00 €
Front rail for CARBID 8-400	510.00 €
Front rail for CARBID 8-450	560.00 €
Walterscheid plo shaft cam clutch W 2500	470.00 €
Walterscheid plo shaft cam clutch W 2600	890.00 €
Parallel guided roller adjustment	260.00 €
Attachments mechanically incl. Top link	960.00 €
Hydraulic attachments (2 cylinder)	1,710.00 €
Stroke limiter for attachments hydraulically	210.00 €
Mounting triangle for Pneutec drill / Accord	450.00 €
Track loosener, 2 goosefoot (300 mm wide) on a frame	850.00 €
Spurlockerer, 4 coulters (60 mm wide) on a frame	1,020.00 €
Disc track hydraulically 2,50 m and 3,00 m	1,100.00 €
Disc track hydraulically 4,00 m and 4,50 m	1,220.00 €
Shuttle valve for marker	210.00 €
Front mounting frame with upper link (sclb)	920.00 €
Front PTO shaft with shear pins 1 3/8" 2" 6 - 1 3/8" 2" 6	360.00 €
Front equipment cpl. 2500 (with the second front roll rod on frame and front hitch)	1,610.00 €
Front equipment cpl. 3000 (with 2, Front bar roller on the frame and front trestle)	1,720.00 €
Front equipment cpl. 4000/4500 (with 2, Front bar roller on the frame and front trestle)	1,920.00 €
Harrow tines with hardfacing to 2,50 m (with coating)	390.00 €
Harrow tines with hardfacing to 3,00 m (with coating)	470.00 €
Harrow tines with hardfacing to 4,00 m (with coating)	610.00 €
Harrow tines with hardfacing to 4,50 m (with coating)	€ 690.00
Lighting system with warning signs for the back	250.00 €
Lighting system with warning signs for front and rear	€ 300.00




Zapfwellen- geschwindigkeit 1/min		Drehzahltable CARBID 8					
		430	540	750	1000	1250	1400
Zahnradpaarung	17 26	111	139	193	258	322	361
	18 25	122	153	213	284	355	397
	19 24	134	168	234	312	390	437
	20 23	147	185	257	343	428	480
	21 22	162	203	282	376	470	526
	23 20	195	245	340	453	566	
	24 19	214	269	373	498		
	25 18	235	295	410	547		
	26 17	259	325	452			

prices plus freight and sat. VAT.
Cargo net: 180,- € suggested retail price net



Overby Export Consulting



We move Denmark out

Contact information:
E-mail: tov@overbyexportconsulting.com
Web: www.overbyexportconsulting.com
Phone: +45 20 59 51 16

- The innovative design of our CARBID K: each harrow section is individually suspended in the frame. In the depth control of the power harrow to be adjusted - not the roller.
- The roller is fixed to the hinged frame. The advantages are: At any time, a coulters each and make as easily be fitted to the roller frame, as the roller always maintains its position.
- During heavy stones of the power harrow can be unlocked and they can therefore move upwards without the weight of the machine having to lift (about 4150 kg) with.
- Compact - shorter construction than conventional machines of this type.
- Gear rotating means - rotates during the folding process, the lateral joint shafts in the 90 ° position, thus avoiding breakage of the joint forks for tractors with PTO brake. (optionally available)



	Harrow CARBID K with Tube bar roller	Harrow CARBID K Tooth packer roller	Harrow CARBID K with Axon roller 450/6
CARBID K 6-400	26,600,00 €	29,000,00 €	29,800,00 €
CARBID K 6-450	27,000,00 €	29,500,00 €	30,400,00 €
CARBID K 6-500	27,400,00 €	30,000,00 €	31,000,00 €
CARBID K 6-600	28,100,00 €	30,900,00 €	32,000,00 €

CARBID K 8-400	29,300,00 €	31,700,00 €	32,500,00 €
CARBID K 8-450	30,500,00 €	33,000,00 €	33,900,00 €
CARBID K 8-500	31,000,00 €	33,600,00 €	34,600,00 €
CARBID K 8-600	31,900,00 €	34,700,00 €	35,800,00 €



Accessories:

Accessories:	List Price:
Tillage equipment accessories:	
4.00 m equipped with roller 560 axon diameter, 6 mm Mat.	2,000,00 €
4.50 m equipped with roller 560 axon diameter, 6 mm Mat.	2.150,00 €
5.00 m equipped with roller 560 axon diameter, 6 mm Mat.	2.250,00 €
6.00 m equipped with roller 560 axon diameter, 6 mm Mat.	2.500,00 €
Prallschiene 400 back	1.100,00 €
Leveling bar 450 at the rear	1.150,00 €
Impact rail 500 back	1.200,00 €
Impact rail 600 back	1.300,00 €
Gear rotating device - to protect the drive shafts during the folding	550,00 €
Oil cooling for medium gear - for tractors up to 500 hp	1.390,00 €
Harrow tines with hardfacing to 4.00 m (welded on both sides)	630,00 €
Harrow tines with hardfacing for 4.50 m (welded on both sides)	700,00 €
Harrow tines with hardfacing for 5.00 m (welded on both sides)	780,00 €
Harrow tines with hardfacing to 6.00 m (welded on both sides)	940,00 €
Lighting system with warning signs to be hooked into the power harrow	380,00 €

Drill accessories:	
EasyFit coupling device for coultter - both sides	430,00 €
Saddle outside elevation hydraulically for EasyFit coupling device - double sided	1.300,00 €
Markers Hydraulic with shuttle valve	1.610,00 €

Front Equipment:	
Gear is rotated only for front mounting. No Charge	0,00 €
Gear for front and rear mounting	1.230,00 €
Front hitch rigid	1,030,00 €
Front headstock steered	1,840,00 €



Overby Export Consulting



We move Denmark out

Contact information:

E-mail: tov@overbyexportconsulting.com

Web: www.overbyexportconsulting.com

Phone: +45 20 59 51 16



Build on machine C-drill 9 - peumatic

Price List No. 10 - 2018-01

Standard equipment:

- I CR rolling coulters with central Saattiefeneinstellung -
zentr.einzustellen all pressing / depth guide rollers with a spindle
- I central coulters pressure adjustment - from 2 up to 50 kg per coulters pressure coulters possible
- I Quick coupling hitch easyfit - Attach and lock easily
- I Compact tank 1200 ltr. - best focus - width 2,20 m for optimal front loader filling
- I very good accessibility of the dosing
- I external distribution - easy cleaning of the container without disturbing hoses, etc.
- I Tramline electronics FGS 5 with 2 x 2 tramline valves, monitoring sensors for blower tank Saatwelle
- I Longitudinally adjustable fan with fan freewheel with power belt drive - belt holds approximately 1000 ha
- I S-Saatriegel, appearance stages platform, jack stands, street lighting with warning signs backwards (series to 3,00 m AB)
- I Plan cover with back pull string, closed in front for more loading capacity



		without adjust sowing depth without pressure rollers	with adjust sowing depth with pressure rollers
C-drill 9-250 pneumatic smaller tank	20 rows	15,150,00 €	15,860,00 €
C-drill 9-300 pneumatic	24 rows	16,270,00 €	17,820,00 €
C-drill 9-400 pneumatic	32 rows	20,600,00 €	22,550,00 €
C-drill 9-450 pneumatic	36 rows	24,300,00 €	26,570,00 €

Accessories for build on machine rigid:		
Crowd beams parallel movement throughout roller		350,00 €
Saddle design elevation hydraulically		670,00 €
Hydraulic coulters pressure adjustment		400,00 €
Markers Hydraulic for 3,00 m		1,010,00 €
Track marker hydraulically for 4,00 m and 4,50 m		1,310,00 €
Shuttle valve for Spuranreißer		230,00 €
Tramline electrohydraulic		990,00 €
2 tramline valves with additional feedback		360,00 €
Tramline valves with separate switching on and off (per switch)		€ 40,00
Tramline electronics RDS MFDC 100 with HA-counter, fan speed, and much more. - Additional charge		430,00 €
Tramline automatic about EHR controlled (incl. 7-pin signal connector.) - Level adjustment		250,00 €
Tramline automatic drive over incl. Delay board		290,00 €
Tramline automatic on track markers		190,00 €
Tramline Electronics RDS Artemis with electronic Saattrieb - surcharge		3630,00 €
Radarsensor for RDS Artemis (series sensor on the drive) - Additional charge		€ 690,00
without tramline Electronics and without sensors / reduced price		770,00 €
Half width shut off with insert plate for the distribution head		€ 50,00
Half width shut off with manual valve flaps / seed return 2,50m		500,00 €
Half width shut off with manual valve flaps / seed return 3,00 m		€ 600,00
Half width shut off with manual valve flaps / seed return 4,00 m		800,00 €
Half width shut off with manual valve flaps / seed return 4,50m		900,00 €
Hydraulic fan drive / control without		650,00 €
Fan drive hydraulic / with flow divider / adjustable		1,200,00 €
Seed box size 900 ltr. (Smaller container, the outside width only 1,60 m)		-250,00 €
Seed box size 1800 ltr. (By 175 mm higher container - no extension)		550,00 €
2 spotlights and Seed box interior lighting (Set)		340,00 €
Street lighting warning signs to the back (for 4,00 m and 4,50 m - Do not allow participation in the highway code)		410,00 €
Hose set for filling incl. Stopcock		290,00 €
Parallelogram extension to build on compact disc incl. Stepping platform		550,00 €
Reversing camera with screen		630,00 €
Reversing camera and camera tank with a screen		820,00 €
Mounting bracket for other brands harrow		630,00 €



Overby Export Consulting



Contact information:
E-mail: tov@overbyexportconsulting.com
Web: www.overbyexportconsulting.com
Phone: +45 20 59 51 16

Front tank drill (tank with dosage - solo) including hydr.. Fan drive without control		
C-drill 9 FT-1		11,330.00 €
C-drill 9 FT-2		13,230.00 €
Distributor head with corrugated pipe	1 piece, for self-mounting	20 rows
Distributor head with corrugated pipe	1 piece, for self-mounting	24 rows
Distributor head with corrugated pipe	1 piece, for self-mounting	32 rows
Distributor head with corrugated pipe	1 piece, for self-mounting	36 rows

Frontpacker Performer 200	with trapezoidal steering, with Axon roller 560, 4 mm, extending to FT	8,100.00 €
Frontpacker Performer 250	with trapezoidal steering, with Axon roller 560, 4 mm, extending to FT	9,000.00 €
Frontpacker Performer 300	with trapezoidal steering, with Axon roller 560, 4 mm, extending to FT	9,900.00 €

CraszRoll for performer-200	front spiked roller for forcibly crushing between rings Axon	1,450.00 €
CraszRoll for performer-250	front spiked roller for forcibly crushing between rings Axon	1,550.00 €
CraszRoll for performer-300	front spiked roller for forcibly crushing between rings Axon	1,650.00 €

Drill cpl. front-mounted tank (with a metering device) for installation on rigid harrow, comprising a rigid coulters beams, with distribution head		
C-drill 9-250 FT-1	20 rows	19,050.00 €
C-drill 9-300 FT-1	24 rows	20,850.00 €
C-drill 9-400 FT-1	32 rows	25,450.00 €
C-drill 9-450 FT-1	36 rows	29,350.00 €

Accessories for front hopper drill rigid:		
Schar beams parallel movement throughout roller		340.00 €
Saddle design elevation hydraulically		650.00 €
Hydraulic coulters pressure adjustment		390.00 €
Markers Hydraulic for 3,00 m		€ 980.00
Track marker hydraulically for 4,00 m and 4,50 m		1,270.00 €
Shuttle valve for Spuranreißer		220.00 €
Tramline electrohydraulic		960.00 €
2 tramline valves with additional feedback		350.00 €
Tramline valves with separate switching on and off (per switch)		€ 40.00
Tramline electronics RDS MFDC 100 with HA-counter, fan speed, and much more. - Additional charge		420.00 €
Tramline automatic about EHR controlled (incl. 7-pin signal connector.) - Level adjustment		240.00 €
Tramline automatic drive over incl. Delay board		€ 280.00
Tramline automatic on track markers		180.00 €
Tramline Electronics RDS Artemis with electronic Saatantrieb - for front hopper operation		3820.00 €
Radar sensor for RDS Artemis (series sensor on the drive) - Additional charge		680.00 €
without tramline Electronics and without sensors / reduced price		-750.00 €
Half width shut off with insert plate for the distribution head		€ 50.00
Half width shut off with manual valve flaps / seed return 2.50m		490.00 €
Half width shut off with manual valve flaps / seed return 3,00 m		580.00 €
Half width shut off with manual valve flaps / seed return 4,00 m		780.00 €
Half width shut off with manual valve flaps / seed return 4,50m		870.00 €
Hydraulic fan drive / control without		780.00 €
Fan drive hydraulic / with flow divider / adjustable		1,230.00 €
Saatkastengröße 900 ltr. (Smaller container, the outside width only 1.60 m)		-250.00 €
Saatkastengröße 1800 ltr. (By 175 mm higher container - no extension)		550.00 €
2 spotlights and Saatkasteninnenbeleuchtung (Set)		330.00 €
Street lighting warning signs to the back (for 4,00 m and 4,50 m - Do not allow participation in the highway code)		400.00 €
Hose set for Befüllschneckenantrieb incl. Stopcock		€ 280.00
Parallelogrammverlängerung to build on compact disc incl. Stepping platform		530.00 €
Reversing camera with screen		630.00 €
Reversing camera and camera tank with a screen		820.00 €



Overby Export Consulting



We move Denmark out

Contact information:
E-mail: tov@overbyexportconsulting.com
Web: www.overbyexportconsulting.com
Phone: +45 20 59 51 16

Drilling machine with front hopper for attachment to folding harrow with 2 coulter beams and distribution head EasyFit hitch			
C-drill 9-400 K-FT-1	2 coulter bar, 2,00 m	Tank with 1 dispenser	27.000,00 €
C-drill 9-450 K-FT-1	2 coulter bar, 2,25 m	Tank with 1 dispenser	27,800.00 €
C-drill 9-500 K-FT-2	2 coulter bar, 2,50 m	Tank with 2 metering units	30,700.00 €
C-drill 9-600 K-FT-2	2 coulter bar, 3,00 m	Tank with 2 metering units	32,300.00 €
C-drill 9-700 K-FT-2	2 coulter bar, 3,50 m	Tank with 2 metering units	33,900.00 €


Accessories for front hopper drill foldable:		
Saddle design elevation hydraulically	both sides	1.460,00 €
Hydraulic coulter pressure adjustment	both sides	830,00 €
Markers Hydraulic with shuttle valve		1.610,00 €
Tramline electrohydraulic, both sides of each 1 Scheibenanreißer		1.080,00 €
Tramline electrohydraulic, both sides of each 2 Scheibenanreißer (eg at 18 he rhythm)		1.860,00 €
2 tramline valves additionally		350,00 €
Tramline valves with separate switching on and off (per switch)		€ 40,00
ESA tramline Electronics RDS Artemis with electronic Saattrieb - for front hopper operation		3820,00 €
Radar sensor for RDS Artemis (series sensor on the drive) - Additional charge		680,00 €
2. metering (for half-width shut-off control on / only possible with double tank)		1.700,00 €
Tramline automatic controlled by EHR - surcharge		220,00 €
Tramline automatic controlled by Bout markers - surcharge		180,00 €
bilateral tramline circuit (circuit for example 6 m to 27 m syringe)		950,00 €
without tramline Electronics and without sensors / reduced price		- 750,00 €
Flow divider for hydraulic fan drive / adjustable - Additional charge		450,00 €
2 spotlights and Seed box interior lighting (Set)		330,00 €
Hose set for filling incl. Stopcock		€ 280,00
Reversing camera with screen		630,00 €
Reversing camera and camera tank with a screen		820,00 €
Cargo net proportion of over-wide special transport in Germany (3,00 m width)		800,00 €

A seed drill with a rear tank for attachment to folding harrow with 2 coulter beams, EasyFit hitch			
C-drill 9-400 K-HT-1	2 coulter bar, 2,00 m	Tank with 1 dispenser	25.000,00 €
C-drill 9-450 K-HT-1	2 coulter bar, 2,25 m	Tank with 1 dispenser	25,800.00 €
C-drill 9-500 K-HT-2	2 coulter bar, 2,50 m	Tank with 2 metering units	28,700.00 €
C-drill 9-600 K-HT-2	2 coulter bar, 3,00 m	Tank with 2 metering units	30,300.00 €
C-drill 9-700 K-HT-2	2 coulter bar, 3,50 m	Tank with 2 metering units	31,900.00 €

Accessories for drill with rear tank for mounting on folding harrow:		
Saddle design elevation hydraulically	both sides	1.460,00 €
Hydraulic coulter pressure adjustment	both sides	830,00 €
Markers Hydraulic with shuttle valve		1.610,00 €
Tramline electrohydraulic, both sides of each 1 slice nibbler		1.080,00 €
Tramline electrohydraulic, both sides of each 2 slice nibbler (eg at 18 he rhythm)		1.860,00 €
2 tramline valves additionally		350,00 €
Tramline valves with separate switching on and off (per switch)		€ 40,00
ESA tramline Electronics RDS Artemis with electronic seed drive - for front hopper operation		3530,00 €
Radar sensor for RDS Artemis (series sensor on the drive) - Additional charge		680,00 €
2. metering (for half-width shut-off control on / only possible with double tank)		510,00 €
Tramline automatic controlled by EHR - surcharge		220,00 €
Tramline automatic controlled by Bout markers - surcharge		180,00 €
bilateral tramline circuit (circuit for example 6 m to 27 m syringe)		950,00 €
without tramline Electronics and without sensors / reduced price		- 750,00 €
Flow divider for hydraulic fan drive / adjustable - Additional charge		450,00 €
2 spotlights and Seed box interior lighting (Set)		330,00 €
Hose set for filling incl. Stopcock		€ 280,00
Reversing camera with screen		630,00 €
Reversing camera and camera tank with a screen		820,00 €
Cargo net proportion of over-wide special transport in Germany (3,00 m width)		800,00 €



Overby Export Consulting



Contact information:
 E-mail: tov@overbyexportconsulting.com
 Web: www.overbyexportconsulting.com
 Phone: +45 20 59 51 16

We move Denmark out

double swan-neck frame with three-point steering Bock and hydraulic lifting axis three-point hitch for tillage equipment (eg harrow carbide or short disc harrow)

Harrow equipped with 2 Axon roll 450 Ø 6 mm Mat. Simple tank at 4.00 and 4.50 m above the center axis AB

with about 2500 liters. Capacity, 1 dispenser, 1 distributor head centrally on the tank double tank at all working widths centrally about the axis

with about 3000 liters. Capacity, 2 dosing, 2 distributor heads on the coulters bar folding frame incl. 2 Axon roll 560

Ø 6 mm Mat. Quick coupling hitch easyfit for 2 seeding aggregate

Chromex rolling coulters with central seed depth adjustment via pinch rollers central coulters pressure adjustment - from 2 up to 50 kg coulters pressure per flock street lighting warning panels front and rear side plates with parallel guide - no ridging tramline electronics RDS MFDC 100 with HA counter fan drive hydraulic / no control

Tramline automatic controlled by lifting axis - standard



	with harrow CARBIDE K 6-600 with chromex rolling coulters	with harrow CARBIDE K 8-600 with chromex rolling coulters
FXE 400 pneumatic / Basic Tank	69,780.00 €	71,200.00 €
FXE 400 pneumatic / double tank	73,580.00 €	75,000.00 €
FXE 450 pneumatic / Basic Tank	70,680.00 €	72,300.00 €
FXE 450 pneumatic / double tank	74,480.00 €	76,100.00 €
FXE 500 pneumatic / double tank	75,380.00 €	77,200.00 €
FXE 600 pneumatic / double tank	77,180.00 €	79,400.00 €

	with short disc harrow K 01 with chromex rolling coulters
FXE 400 pneumatic / Basic Tank	67,800.00 €
FXE 400 pneumatic / double tank	71,600.00 €
FXE 450 pneumatic / Basic Tank	67,750.00 €
FXE 450 pneumatic / double tank	71,550.00 €
FXE 500 pneumatic	72,500.00 €
FXE 600 pneumatic	74,400.00 €



Accessories:

Accessories:	List Price:
Tillage equipment accessories:	
4.00 m equipped with roller 560 axon diameter, 6 mm Mat.	2,000,00 €
4.50 m equipped with roller 560 axon diameter, 6 mm Mat.	2,150,00 €
5.00 m equipped with roller 560 axon diameter, 6 mm Mat.	2,250,00 €
6.00 m equipped with roller 560 axon diameter, 6 mm Mat.	2,500,00 €
Prallschiene 400 back	1.100,00 €
Leveling bar 450 at the rear	1.150,00 €
Prallschiene 500 back	1.200,00 €
Prallschiene 600 back	1.300,00 €
Harrow tines with hardfacing to 4.00 m (welded on both sides)	630,00 €
Harrow tines with hardfacing for 4.50 m (welded on both sides)	700,00 €
Harrow tines with hardfacing for 5.00 m (welded on both sides)	780,00 €
Harrow tines with hardfacing to 6.00 m (welded on both sides)	940,00 €
Lighting system with warning signs to be hooked into the power harrow (Only necessary if the harrow is operated solo)	380,00 €

Drill accessories:		
Saddle design elevation hydraulically	both sides	1.300,00 €
Hydraulic coultter pressure adjustment	both sides	830,00 €
Markers Hydraulic with shuttle valve		1.610,00 €
Tramline electrohydraulic, both sides of each 1 slice nibbler		1.080,00 €
Tramline electrohydraulic, both sides of each 2 slice nibbler (eg at 18 he rhythm)		1.860,00 €
2 tramline valves additionally		350,00 €
Tramline valves with separate switching on and off (per switch)		€ 40,00
ESA tramline Electronics RDS Artemis with electronic seed drive - surcharge		3530,00 €
Radar sensor for RDS Artemis (series sensor on the drive) - Additional charge		680,00 €
Tramline automatic controlled by EHR - surcharge		220,00 €
Tramline automatic controlled by Bout markers - surcharge		180,00 €
bilateral tramline circuit (circuit for example 6 m to 27 m syringe)		950,00 €
without tramline Electronics and without sensors / reduced price		-850,00 €
Fan drive hydraulic / with flow divider / adjustable - Additional charge		450,00 €

Suspension accessories:		
2 spotlights and seed box interior lighting (Set)		330,00 €
Hose set for filler incl. Stopcock		€ 280,00
Wheels size 650/55 R 26.5		2.450,00 €
Hitch with ball socket Scharmüller K 80 (reservation required. At 40 km / h approval)		830,00 €
incl. hydr. height-adjustable hitch STVO - approval to 25 km / h		400,00 €
STVO - approval to 40 km / h (only in conjunction with hitch ball socket.)		650,00 €
Reversing camera with screen		630,00 €
Reversing camera and camera tank with a screen		820,00 €
Cargo net proportion of over-wide special transport in Germany (3.00 m width)		800,00 €



Overby Export Consulting



Contact information:

E-mail: tov@overbyexportconsulting.com

Web: www.overbyexportconsulting.com

Phone: +45 20 59 51 16




List prices Axon 2018-01

Axon following rollers for power harrows and other Tillage Equipment


The patented original - from the inventor! German manufacturing - guaranteed quality-oriented!

 <p>450 mm Ø Material 4 mm interchangeable support shaft 50 mm Ø with durable, double-row roller bearing with arms and stripper cpl. assembled suitable for ECK harrows from. Bj. 2012 fits from ECK-SICMA power harrows. Bj. 88</p> 	Axon - roller 750/450/4/6 rings	110 kg	1.290,00 €
	Axon - roller 875/450/4/7 rings	120 kg	1.410,00 €
	Axon - roller 1000/450/4/8 rings	130 kg	1.530,00 €
	Axon - roller 1125/450/4/9 Ringe	140 kg	1.650,00 €
	Axon - roller 1250/450/4/10 rings or	150 kg	1.760,00 €
	Axon - roller 1375/450/4/11 rings	160 kg	1.880,00 €
	Axon - roller 1500/450/4/12 rings	170 kg	2.000,00 €
	Axon - roller 1625/450/4/9 Ringe	180 kg	2110.00 €
	Axon - roller 1750/450/4/10 rings or	190 kg	2.250,00 €
	Axon - roller 1875/450/4/11 rings	200 kg	2.360,00 €
	Axon - roller 2000/450/4/16 rings	215 kg	2.480,00 €
	Axon - roller 2250/450/4/18 rings	245 kg	2.570,00 €
	Axon - roller 2500/450/4/20 rings	270 kg	2.800,00 €
	Axon - roller 3000/450/4/24 rings	335 kg	3.050,00 €

 <p>450 mm Ø 6 mm Material interchangeable support shaft 50 mm Ø with durable, double-row roller bearing with arms and stripper cpl. assembled</p> <p><small>Fit & ECK for rotary harrows from year, 2.012th ECK-SICMA from Bj. 88</small></p>	Axon - roller 2000/450/6/16 rings	280 kg	2730.00 €
	Axon - roller 2250/450/6/18 rings	320 kg	2.870,00 €
	Axon - roller 2500/450/6/20 rings	350 kg	3.100,00 €
	Axon - roller 3000/450/6/24 rings	435 kg	3.450,00 €



Overby Export Consulting




We move Denmark out


Contact information:

E-mail: tov@overbyexportconsulting.com

Web: www.overbyexportconsulting.com

Phone: +45 20 59 51 16

 <p>560 mm Ø 4 mm Material</p> <p>interchangeable support shaft 50 mm Ø with durable, double-row roller bearing with arms and stripper cpl. assembled suitable for ECK harrows from Bj. 2012 suitable for ECK-SICMA power harrows from Bj. 88</p>	Axon - roller 2000/560/4/16 rings	350 kg	3.520,00 €
	Axon - roller 2250/560/4/18 rings	400 kg	3.780,00 €
	Axon - roller 2500/560/4/20 rings	440 kg	4.200,00 €
	Axon - roller 3000/560/4/24 rings	560 kg	4.550,00 €
	Axon - roller 3500/560/4/28 rings	630 kg	5290,00 €
	Axon - roller 4000/560/4/32 rings	700 kg	5.600,00 €
	Axon - roller 4500/560/4/36 rings	830 kg	6.150,00 €

 <p>560 mm Ø 6 mm Material</p> <p>interchangeable support shaft 50 mm Ø with durable, double-row roller bearing with arms and stripper cpl. assembled suitable for ECK harrows from Bj. 2012 suitable for ECK-SICMA power harrows from Bj. 88</p>	Axon - roller 2000/560/6/16 rings	450 kg	3.890,00 €
	Axon - roller 2250/560/6/18 rings	520 kg	4.150,00 €
	Axon - roller 2500/560/6/20 rings	590 kg	4.600,00 €
	Axon - roller 3000/560/6/24 rings	715 kg	5.000,00 €
	Axon - roller 3500/560/6/28 rings	850 kg	5780,00 €
	Axon - roller 4000/560/6/32 rings	940 kg	6.150,00 €
	Axon - roller 4500/560/6/36 rings	1110 kg	6.750,00 €

UCF 4 hole Gussflanschlager instead of the high-quality standard storage	Price reduction	-200,00 €
Storage DIY with double-row spherical roller bearing, oil seal, felt ring and steel protective ring, interchangeable axle stub 50 mm Ø standard		

Larger annular row distances (less rings) have a higher price, since the rollers and stripper can not be produced on the devices:

1 Ring less at 450 ° / 4 mm and 1 scraper less	surcharge	165,00 €
1 Ring less at 450 ° / 6 mm and 1 scraper less	surcharge	175,00 €
1 Ring less at 560 Ø / 4 mm and 1 scraper less	surcharge	€ 215,00
1 Ring less at 560 Ø / 6 mm and 1 scraper less	surcharge	225,00 €

2 rings less at 450 ° / 4 mm 2 and less stripper	surcharge	115,00 €
2 rings less at 450 ° / 6 mm and 2 stripper less	surcharge	130,00 €
2 rings less at 560 Ø / 4 mm 2 and less stripper	surcharge	145,00 €
2 rings less at 560 Ø / 6 mm and 2 stripper less	surcharge	155,00 €

4 rings less at 450 ° / 4 mm and 4 scraper less	surcharge	€ 30,00
4 rings less at 450 ° / 6 mm and 4 scraper less	surcharge	€ 30,00
4 rings less at 560 Ø / 4 mm and 4 scraper less	surcharge	€ 30,00
4 rings less at 560 Ø / 6 mm and 4 scraper less	surcharge	€ 30,00

Ring closer row spacing (more rings): 1 Ring more at 450 ° / 4 mm and

1 more scrapers	surcharge	€ 215,00
1 Ring more at 450 ° / 6 mm and 1 more scrapers	surcharge	235,00 €
1 Ring more at 560 Ø / 4 mm and 1 more scrapers	surcharge	285,00 €
1 Ring more at 560 Ø / 6 mm and 1 more scrapers	surcharge	305,00 €

2 rings more at 450 ° / 4 mm 2 and more scrapers	surcharge	265,00 €
2 rings more at 450 ° / 6 mm and 2 more scrapers	surcharge	295,00 €
2 rings more at 560 Ø / 4 mm 2 and more scrapers	surcharge	€ 355,00
2 rings more at 560 Ø / 6 mm and 2 more scrapers	surcharge	385,00 €



Overby Export Consulting



We move Denmark out

Contact information:

E-mail: tov@overbyexportconsulting.com

Web: www.overbyexportconsulting.com

Phone: +45 20 59 51 16



Contact information:

E-mail: tov@overbyexportconsulting.com

Web: www.overbyexportconsulting.com

Phone: +45 20 59 51 16



Axon rollers matching mounting brackets and frame for mounting on other brands: If your machine is not listed, please contact us. We will make you an offer.

alpego			
	Frame incl. Side panels welded 2.50 m		400,00 €
		3.00 m	430,00 €
		4.00 m	490,00 €
Amazon			
Mounting frame cpl. with side panels (without roller arms)		2.50 m	650,00 €
Type 1: frame 4 on both sides thread M 16 for Platen		3.00 m	680,00 €
Type 2: frame with sides 2 holes for Platen		4.00 m	750,00 €
		4.50 m	820,00 €
Amazon roller arms 30 mm Material S355 (set of 2)			285,00 €
breviglieri			
old version (name unknown)	Side panels fit		110,00 €
leader	Side panels fit		€ 85,00
master	Side panels fit		110,00 €
falco			
	Side panels fit		140,00 €
feraboli			
Top	Side panels fit		140,00 €
Frudent			
(Equal Sulky, Regent)	Side panels fit		€ 95,00
Maschio			
HB	Side panels fit		180,00 €
Bravo, Dominator, Mega, DC, DC-V	Side panels fit		135,00 €
Muratori ME 22 / ME			
24	Side panels fit		135,00 €
Kuhn			
Group: H, HR, HRB / series 01, 02, 03, 04 (for example, HR 301 HR or 303)	2 with side panels 20 mm Platen		365,00 €
Kuhn			
Group: H, HR, HRB / series 01, 02, 03, 04 (for example, HR 301 HR or 303)		all AB	-55,00 €
when using the original Kuhn roller arms: Delivery of Axon roller		(Price reduction)	
Universal side panels that the distance matches. It need only be drilled in the original Kuhn roller arm holes and possibly a piece to be separated.			
Kverneland NG-M,			
NG-H	Frame incl. Side panels welded 2.50 m		400,00 €
	Frame front 90x90x6 welded to support plates	3.00 m	430,00 €
	Frame rear 80x80x5 welded to support plates	4.00 m	490,00 €
Lely			
Series 20, 22, 25, 30, 35, 55	Side panels, 13 mm drill, 8 mm Distanzpl.	All AB	125,00 €
series 55	Side panels, 13 mm drill, 8 mm Distanzpl.	All AB	135,00 €
Tulip			
Series 20, 22, 25, 30, 35, 55	Side panels, 13 mm drill, 8 mm Distanzpl.	All AB	125,00 €
series 55	Side panels, 13 mm drill, 8 mm Distanzpl.	All AB	135,00 €
Series 35 / from 2015	Side panels, 17 mm drill, 6 mm distance plate	All AB	125,00 €
Series 55 / from 2015	Side panels, 17 mm drill, 6 mm distance plate	All AB	135,00 €



Axon roller fit Kverneland with frame



Axon roller suitable Lemken with frame



Axon roller suitable Amazone with frame




Axon roller fits Kuhn with roller arm

Lemken			
Zirconium 7, 8, 9, 10	welded frame incl. side panels	2.50 m	530,00 €
	Frame front 70x70x6 welded to support plates	3.00 m	580,00 €
	Frame rear 80x80x5 welded to support plates	4.00 m	€ 690.00
Maschio			
HB	Side panels fit		180,00 €
Bravo, Dominator, Mega, DC, DC-V	Side panels fit		135,00 €
Niemeyer			
	Side panels fit		180,00 €
Ortolan			
	Side panels fit		160,00 €
Pegoraro, Morra, rigid			
harrow	Frame incl. Side panels welded 5 hole	2.50 m	430,00 €
		3.00 m	450,00 €
Harrow hydraulic folding W 5000 W 6000 right and left frames 100 x 100 x 5		4.00 m	530,00 €
Rabe			
RKE	Side panels fit		160,00 €
MKE, PKE,	Side panels fit		180,00 €
Corvus	Side panels fit		210,00 €
Rough			
	Side panels fit		160,00 €
regent			
Year to. 2005 (Ares's / equal Breviglieri)	Side panels fit with spacer plates		125,00 €
from Bj. 2005 (Orbit / equal Frandent and Sulky)	Side panels fit		€ 95.00
Rotoland, Perugini, Rheinland			
	Side panels fit		210,00 €
Sicma			
ERS, SUPER	Side panels fit		80,00 €
KING	Side panels fit		100,00 €
Sulky			
	Side panels fit		€ 95.00
Vigolo			
	Side panels fit		160,00 €
Vogel & Noot			
	Side panels fit		320,00 €



Overby Export Consulting



We move Denmark out

Contact information:

E-mail: tov@overbyexportconsulting.com

Web: www.overbyexportconsulting.com

Phone: +45 20 59 51 16