


ZOOTECHNICAL EQUIPMENT MANUFACTURER
E Fabrication de matériel d'élevage • Fabricação de material de pecuário



JAVIER CAMARA

INDUSTRIAS GANADERAS

History of the company



Founded in the 50s, **JAVIER CAMARA INDUSTRIAS GANADERAS** is a company dedicated to the manufacture of equipment for the livestock sector, having as objective offering a range of products that facilitate and capitalizing farmers work.

With a permanent commitment in investigating technology and new designs, **JAVIER CAMARA INDUSTRIAS GANADERAS** has become one of the most important European firms leader in the sector.

The three factories located in **09400 Aranda de Duero (Burgos)**, **06892 Mérida (Badajoz)** and **700264 Iasi (Romania)** offers a complete response sectors of sheep, goats, cattle, horses and swine.



INDEX

FEEDING THROUGH FOR SHEEP AND GOATS	B-5 FEEDING TROUGHS	4
SPARE PARTS	FEEDING TROUGHS	5
FEEDING THROUGH FOR SHEEP AND GOATS	B-6, B-8 FEEDING TROUGH	6
SELF-CAPTURING FOR SHEEP	B-10 SHEEP FEEDING TROUGH WITH LATTICE	7
FEEDING THROUGH FOR SHEEP AND GOATS	B-6, B-8 FEEDING TROUGH	8
	B-9 SHEEP FEEDING TROUGH WITH ONE SIDE	9
	B-12, B-13, B-27 FEEDING TROUGH WITH DOUBLE ACCESS	10
	B-11 LAMBS SINGLE SIDED FEED TROUGH	11
	SHEEP FEEDING TROUGH WITH HIGH VOLUME	12
	B-15 FEEDING TROUGH WITH HIGH VOLUME STORAGE	13
	B-20, B-200 FEEDING TROUGH HAY RACK WITH ROOF	14
	B-21 FEEDING TROUGH FOR RECTANGULAR BALES	15
FEEDING HOPPER FOR SHEEP AND GOATS	E-1, E-2, E-6 LAMBS FEEDING HOPPER	16
	E-21 LAMBS FEEDING HOPPER WITH DOUBLE ACCESS	17
	E-3 LAMBS FEEDING HOPPER WITH ONE ACCESS	18
	E-4, E-5, E-7 SHEEP FEEDING HOPPER	19
	SHEEP FENCES & GATES	20
SORTING GATES, FENCES AND BLOCKING BOXES	SHEEP OR GOATS FENCES AND GATES	21
	BOX DOOR FOR SHEEP	22
	SHEEP FENCES & GATES	23
	B-190, SHEEP RACE WITH DRAFTER AND GUILLOTINE GATE	24
	B-35 TRAILER FOR SORTING GATE	25
	SCALE/LINE CONVEYOR INSPECTION FOR SHEEP&GOATS	26
SCALES, CANNADIAN PASSAGES AND BLOCKING BOXES	WEIGHERS	27
SORTING GATES, FENCES AND BLOCKING BOXES	SHEEP BOXES FOR BIRTH	28
	B-30 SHEEP ROLLOVER CRATE	29
SELF-CAPTURING FOR SHEEP	FEEDING CONVEYOR FOR SHEEP&GOATS	30
FEEDING LINES	SELF-CAPTURING "CAMARA" SYSTEM FEEDING FOR SHEEP&G	31
TRAILERS AND FEEDING TRAYS FOR FORAGE	ACCESORIES FOR FARMS	32
FEEDING HOPPER AND TRAYS FOR CATTLE	FEEDING TROUGHS	33
	A-80 CALF CREEP FEEDER	34
	FEEDING HOPPER A-10, A-12 WITH ONE ACCESS	35
	STABLES FOR INTENSIVE BREEDING	36
	A-21 FEEDING HOPPER FOR COWS	37
	LIVESTOCK FARMING INTENSIVE	38
	A-23, A-24 WHEELED FEEDERS	39
SORTING GATES AND FENCES FOR CATTLE	A-16 PORTABLE CATTLE RACE	40
	A-16 PORTABLE CATTLE RACE	41
	SORTING GATE FOR BEEF	42
	A-45 RESTRAINING STAND FOR CATTLE	43
SELF-CAPTURING AND BERTH FOR CATTLE. BOXES	PARTITION FOR BIRTH FOR COWN	44
SORTING GATES AND FENCES FOR CATTLE	FENCES & GATES FOR COWS	45
FEEDING THROUGH AND TRAILERS FOR CATTLE	A-5, A-6 FEEDING CIRCULAR HAY RACK FOR COWS/EQUINS	46
	A-32, A-33 FEEDING HAY RACKS FOR COWS WITH ROOF	47
	A-30, A-31, A-34 FEEDING HAY RACKS FOR COWS	48
	A-34 FEEDING THROUGH FOR CATTLE	49
	SELF SERVICE	50
	A-35, A-36, A-47 FEEDING HAY RACKS	51
	FEEDING THROUGH FOR CATTLE/HORSES	52
	A-41, A-42 FEEDING HAY RACKS FOR COWS/EQUINS	53
	A-43, A-44 FEEDING HOPPER GRANULATED MOBILE	54
SELF-CAPTURING AND BERTH FOR CATTLE. BOXES	A-13, A-14, A-15 SELF CAPTURING FOR COWS	55
	A-14 SELF CAPTURING FOR COWS WITH AND WITHOUT HORNS	56
	A-15 SELF-CAPTURING FOR COWS WITH REST AREA	57
	A-141 FARMING FOR COWS/CALVES	58
SCALES, CANNADIAN PASSAGES AND BLOCKING BOXES	VARIOUS CALF BOXES	59
FEEDING HOPPER AND TRAYS FOR CATTLE	MOBILE CATTLE GRIDS	60
	HOPPERS AND SILOS	61
DRINKING THROUGH FOR SHEEP, GOATS AND CATTLE	DRINKING TROUGH	62
	SHEEP DRINKING TROUGH	63
	RINKING TANK WITH WHEELS	64

B-5 FEEDING TROUGHS`



Features

B-5, Wall attached sheep feeding trough. It is made of tinplate and in different lengths. You can adjust the height. You can also switch to the B-31 restraint system(auto capture)



Reference	length (L)	height (h)	width. (L)	
B-5, 2 METROS	2025	737.4	417.6	
B-5, 3 METROS	3000	737.4	417.6	
B-5, CON AMARRE	3000	737.4	417.6	
B-51,2MTS	2000			
B-51,3MTS	3000			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

4



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

B-24, Feeding trough for sheep. The material used is tinfoil, designed to relieve the transport. Is manufactured using perforation. For field placement it is adequate to merge multiple three meters long modules using screws.

B-25, Linear sheep and goats feeding trough. The used material is tinfoil and is manufactured by welding.

B-5, Bolt to wall hay rack feeding trough for sheep. It is made of tinfoil and is available in various lengths. You can adjust the height. You can also switch to the B-31 restraint system (auto capture) .



Reference	length (L)	height (h)	width. (L)	
B-24	3000	492	460	
B-25	3000	472	460	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

5



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-6, B-8 FEEDING TROUGH



Features

B-6, Sheep and goats hay rack.

The used material is tinplate. The parts are removable. It is manufactured using perforation and the laser tube machine. It is made in different lengths.

The legs are removable (it is easy to replace the feeding trough).

B-8, Sheep and goats hay rack B-6, incorporates the restraint system B-31 (rack self capturing). There are 18 feeding places.

The sheep is caught and she is restrained. They can be released one by one or all at the same time.



Reference	length (L)	height (h)	width. (L)	
B-6, 2 METROS	2000	1117	566	
B-6, 3 METROS	3000	1117	566	
B-6, TEJADO	2000	1117	566	
B-61, 2 MTS	2000	1117	566	
B-61, 3M	3000	1117	566	
B-62, 2MT	2000	1117	566	
B-62, 3MT	3000	1117	566	
B-7, 2 MTS	2000	1117	566	
B-7, 3 METROS	3000	1117	566	
BANDEJA B-6	3000			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillanos (Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

6



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-10 SHEEP FEEDING TROUGH WITH LATTICE




Features

B-10, Sheep or goats feeding troughs.

Single sided hay rack. It is manufactured in different lengths. The animals are organized into a column. It provides a more convenient food supply. The legs are removable and adjustable. The feeding trough depends on the size of the sheep. Also it can be coupled with B-31 (self-capturing).



Reference	length (L)	height (h)	width. (L)	
B-10, 2 METROS	2000	960	440	
B-10, 3 METROS	3000	960	440	
B-10, AMARRE	3000			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

7



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-6, B-8 FEEDING TROUGH



Features

B-6, Sheep and goats feeding trough. The used material is tinplate. The parts are removable. It is manufactured using perforation and the laser tube machine. It is made in different lengths. The legs are removable (it is easy to replace the feeding trough).

B-8, Feeding trough B-6, incorporates the restraint system B-31 (rack self capturing). There are 18 feeding places. The sheep is caught and she is restrained. They can be released one by one or all at the same time.



Reference	length (L)	height (h)	width. (L)	
B-31	3000	662		
B-8, AMARRES	2895	1151	823	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillanos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

8



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-9 SHEEP FEEDING TROUGH WITH ONE SIDE



B-9



Features

B-9, All purpose trough with feed barrier.

Less food is lost using this feeding trough. Easy to clean and fill available galvanised or in stainless steel. Is manufactured using perforation. This all purpose trough is mounted with (the help of) screws - it lasts longer and is more resistant.

This is why welds are avoided.



B-91

Reference	length (L)	height (h)	width. (L)	
B-9,	2956	901.5	511.4	
B-9, ACERO	2956	901.5	511.4	
B-9, AMARRE	1956	901.5	511.4	
B-9, CHAPA	2956	901.5	511.4	
B-91, 2,5M	2500			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

9



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-12, B-13, B-27 FEEDING TROUGH WITH DOUBLE ACCESS



Features

B-12, B-13, B-27, Sheep feeding trough with double access.

All-purpose double sided trough with feed barrier easy to clean and fill. The used material is tinplate or stainless steel and is manufactured using perforation. This feeding trough is mounted with (the help of) screws - it lasts longer and is more resistant.

This is why welds are avoided. Solid equipment can be fitted with self-capturing as optional extra.



Reference	length (L)	height (h)	width. (L)	
B-12, 3 METROS	3000	900	580	
B-12, ACERO	3000	900	580	
B-12, AMARRES	3000	900	580	
B-121, 2.5M				
B-125, 2MTS	2000	700	460	
B-13, 3 METROS	3000	900	720	
B-13, ACERO	3000	900	720	
B-27, ACERO	3000	900	1000	
B-27, 3MT CHA	3000	900	1000	
CHAPA	3000	230		



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

10



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-11 LAMBS SINGLE SIDED FEED TROUGH



B-11



Features

B-11, Single sided feed trough with adjustable hay rack to avoid hay waste.

Developed for indoor lamb fattening units, available in choice of lengths. The used material is tinplate. The tray is plate and avoids cleaning the straws. Look at the feeding trough B-11 for fattening lambs.



Reference	length (L)	height (h)	width. (L)	
B-11, 2 METROS	2000	900	410	
B-11, 3 METROS	3000	900	410	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

11



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

SHEEP FEEDING TROUGH WITH HIGH VOLUME



Features

B-14, Sheep feeding trough with high-volume storage. The used material is tinplate or stainless steel and is manufactured using perforation. Patented big bale hay racks with exterior bars to avoid sheep entry into trough. The internal sliding grill is pushed by the sheep against the bale as its size reduces. This feeding trough is mounted with (the help of) screws - it lasts longer and is more resistant. This is why welds are avoided. Optional cover available.



Reference	length (L)	height (h)	width. (L)	
B-14,	3000	1230	1080	
B-14, C/T	3000	1230	1080	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

12



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-15 FEEDING TROUGH WITH HIGH VOLUME STORAGE



Features

B-15, Feeding trough with high-volume storage with single or double sided (front/behind). The used material is tinplate or stainless steel. The system is equipped with a patented grill and it gets locked when the animal eats, to avoid losing food. It facilitates the food loading work.



Reference	length (L)	height (h)	width. (L)	
B-15	2900		3000	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 61
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

13



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-20, B-200 FEEDING TROUGH HAY RACK WITH ROOF



B-201



Features

B-20, Galvanised round bale feeders for sheep. The used material is tinplate and is easily dismantled for transport and re-assembly. Depending on the size of bales is using B-20 panels. Usually, 7 B-20 panels are required.

B-200 Big round bale feeder for sheep. The tubes are galvanized using hot immersion.

B-201, B-200 Big round bale feeder with roof.



B-20



B-20

Reference	length (L)	height (h)	width. (L)	
B-20	800	1140		
B-200	1600	1400	1650	
B-201	1600	2250	1650	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillanos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

14



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-21 FEEDING TROUGH FOR RECTANGULAR BALES



B-21

Features

B-21, Rectangular big or small bale feeders for sheep. It is made of galvanized steel and is easy to assemble and transport. It serves for both inside and outside the farm.

B-40, Single sided big bale hay or straw racks. It saves a important work for feeding lambs with straws.



Reference	length (L)	height (h)	width. (L)	
B-21	2970	1098	1080	
B-40	3500	800	900	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

15



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

E-1,E-2,E-6 LAMBS FEEDING HOPPER



Features

E-1, Lambs double sided creep feeder. It is manufactured in lengths of 1 or 2 meters. The used material is tinplate. It has a capacity of approximately 2 meters and 130 kgs. Removable and adjustable legs. E-11, E-1 Feeding hopper with grill to prevent ewe access. E-12, E-1 Feeding hopper with roof for outside usage. E-13, E-1 Feeding hopper with grill and roof. E-2, Lambs double access feeding hopper. It is made of galvanized steel using hot immersion. It has a capacity of approximately 270 kg. Its feet are removable and adjustable. E-6, Lambs feeding hopper with closed system. Includes a system which allows only lambs to eat, not the sheep.



Reference	length (L)	height (h)	width. (L)
E-1, 1 METRO.	1000	790	460
E-1, 2 METROS	2000	790	460
E-11, CON IMP	2000	790	460
E-12, TEJADO	2000	790	460
E-13, IMP Y TEJ	2000	790	460
E-2,	2000	875	544
E-2, ACERO	2000	875	544
E-2, ALTA	2000		544
E-2, TEJADO	2000		544



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

16



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

E-21 LAMBS FEEDING HOPPER WITH DOUBLE ACCESS



Features

E-21, Lambs feeding hopper with double access. Special for animals with Big horn. This is fabricated in different sizes. Capacity (400-500Kg) The material used is tinplate or stainless steel. Long lamb fattening hoppers recommended for indoor finishing available galvanised or stainless steel. Easy filling avoid humidity problems and suitable for automatic filling systems.



Reference	length (L)	height (h)	width. (L)	
E-21,AC 2MTS	2000	895	600	
E-21,AC 3MTS	3000	895	600	
E-21,CH 2MTS	2000	895	600	
E-21,CH 3MTS	3000	895	600	
E-6	505	625	270	



E-6



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

17



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

E-3 LAMBS FEEDING HOPPER WITH ONE ACCESS



E-3

Features

E-3, Lambs feeding hopper with one access.

This is fabricated in different sizes. The material used is tinplate or stainless steel. Long lamb fattening hoppers recommended for indoor finishing available galvanised or stainless steel. Easy filling avoid humidity problems and suitable for automatic filling systems.



Reference	length (L)	height (h)	width. (L)	
E-3, ACERO 2	2000	905	343	
E-3, ACERO 3	3000	905	343	
E-3, CHAPA 2	2000	905	343	
E-3, CHAPA 3	3000	905	343	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

18



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

E-4, E-5, E-7 SHEEP FEEDING HOPPER



E-4

Features

E-4, Double sided outdoor sheep feeder, capacity three or 6 tons. The used material is tinplate and it is prepared for outside. Adjustable and removable legs. The tray is designed for sheep or lambs. It incorporates an adjustable internal plate to limit food supply if required.

E-5 Single sided unit sheep feeder for straw terrain. The used material is tinplate and is prepared for outside. Its feet are removable and adjustable.

E-7 hopper with double access (front/behind) for straw terrain.



E-7

Reference	length (L)	height (h)	width. (L)
E-4, EXTERIOR	3000	1400	1160
E-4, INTERIOR	3000	1400	1160
E-4, SUPL	3000	2900	1160
E-5	3000	1650	1000
E-5, TECHO	3000	1650	1000
E-7	3000	1600	1400
E-7, SUPL	3000	3000	1400
E-7, TECHO	3000	1600	1400



E-7 Sup



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

19



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO





Features

G-2, Sheep fence. It is manufactured in different sizes. Is galvanized using hot immersion.

G-3, Sheep or pig fence. The used material is tinplate.

G-4, Sheep adjustable fence with lamb creep entry.

G-12, Sheep fence with gate. Very useful to access comfortably entries between fences.



Reference	length (L)	height (h)	width. (L)
G-12	2000	1120	
G-2, 1 MTS	1000	1120	
G-2, 1 MTS GAL	1000	1120	
G-2, 1,5 MT GAL	1500	1120	
G-2, 2 MT GAL	2000	1120	
G-2, 2 MTS	2000	1120	
G-2, 2,5 MT GAL	2500	1120	
G-2, 3 MT GAL	3000	1120	
G-3, 2MTS	2000	1120	
G-4,	2000	1120	
G-4, GAL	2000	1120	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA


JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

SHEEP OR GOATS FENCES AND GATES




Features

- G-5, Sheep fence designed to keep out wolves. Allows you to mount portable enclosures in the field.
- G-9, Goats fence. Because of its 1.40 m height, it is difficult for a goat to escape.
- G-11, Sheep-goats fence made of tinplate. Allows installing enclosures in the field. Designed to keep out predators.
- G-13, Sheep fence with 25 mm tube galvanized using hot immersion.
- G-14, Sheep fence with grill galvanized using hot immersion.



Reference	length (L)	height (h)	width. (L)
G-11,	2000	1650	
G-13,1,0 MTS	1000	900	
G-13,1,20MTS	1200	900	
G-13,1,5 MTS	1500	900	
G-13,2,5MTS	2500	900	
G-13,2MTS	2000	900	
G-13,3mts	3000	900	
G-14,0,85 MTS	850	900	
G-14,1,20MTS	1200	900	
G-14,2,0MTS	2000	900	
G-14,2,5MTS	2500	900	
G-5, GAL	2000	1700	
G-809R			
G-9,	2000	1410	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

21



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



G-72



G-73

Features

G-72. Door 1mtr manufactured tube. G-73. Door 1 meter, manufactured of sheet metal. G-761. FenceTwo-meter, with door incorporating . G-78. Fence for sheep shearing canvas.



G-761



G-78

Reference	length (L)	height (h)	width. (L)	
G-72	850	920		
G-73	850	920		
G-76				
G-761	2000	900		
G-78				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO




Features


G-715. Self Service Feeder for sheep 2-3-4-5-6 meters. G-701. Sheep fence . It allows entrance only for lambs. Galvanized using hot immersion.



Reference	length (L)	height (h)	width. (L)	
G-701	2140	1000		
G-715	2000			
G-716	3000			



B-190, SHEEP RACE WITH DRAFTER AND GUILLOTINE GATE



B-190



Features

B-190, Sheep sorting gate. It is manufactured in multiple lengths. Includes gates in front and behind of the guillotine. Is galvanized using hot immersion.

B-35, Trailer for the sorting gate. You can register it for public roads usage. The wheels are removable. It can carry the needed fences to manage.



**Curva
G-702**

Reference	length (L)	height (h)	width. (L)	
B-19	2750	910		
B-191	4750	910		
B-192	6750	910		
B-193	8750	910		
B-194	10750	910		
B-195	12750	910		
B-36				
B-390				
B-391				
B-392				
G-702				
G-71		900		



B-36



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

24



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-35 TRAILER FOR SORTING GATE



Features

B-35 TRAILER FOR SORTING GATE WITH DETACHABLE WHEELS. GALVANIZED USING HOT IMMERSION. IT CAN BE REGISTERED, FOR PUBLIC ROADS.



Reference	length (L)	height (h)	width. (L)	
B-35	4000			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

25



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

B-380, Belt sheep or goats handling unit. It is made from stainless steel and is used to perform a variety of tasks: hoof care, vaccination, ultrasound, sheep washing. . . etc BA-1, Weigher suitable for sheep and pigs. It is mobile and includes wheels. It has a maximum capacity of approximately 500 kgs. BA-2, Weigher suitable for sheep and pigs electronic with wheels. It has a maximum capacity of approximately 500 kg. BA - 3, Cattle weigher capacity 1500 kgs, includes two sliding doors and blocking device for ease of weighing. BA-4, Cattle weigher electronic. Capacity 1500 kgs. Includes two sliding doors.



Reference	length (L)	height (h)	width. (L)	
B-370				
B-371				
B-372				
B-373				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

26



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



BA-7

Features

BA-6, Automatic lambs weigher with three or more exits (max 10 exits). Adjustable after exit. BA-7, Weigher three exit for sheep. Adjustable width. Electronic weighing to 250 kgs. Is galvanized using hot immersion and is supplied with wheels for easy positioning. BA-8, Platform weigher for group weighing of sheep or lambs. Electronic available in different sizes.



BA-6

Reference	length (L)	height (h)	width. (L)	
BA-5	2170	190	720	
BA-6				
BA-7				
BA-8				



BA-8



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

27



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

SHEEP BOXES FOR BIRTH



Detalle bebedero F-15



Detalle G-83 Tolva Paridera

Features

Manufactured with 25 mm tube galvanized using hot immersion. Includes laser machine tubes that provide a longer duration and resistance to the fence. They sell for 3 or 6 holes modules. Optional auto drinker for each model. All G-8 incorporates a space for the supply. The parts are removable which facilitate easy cleaning.



G-8 3 HUECOS



G-8 6 HU C/B

Reference	length (L)	height (h)	width. (L)	
G-8, 3 HUECOS	3000	1120	1500	
G-8, 3H BE	3000	1120	1500	
G-8, 6 HU C/B	3000	1120	3000	
G-8, 6 HUECOS	3000	1120	3000	
G-8, 6H S TO				
G-81	1000	1120		
G-82	1500	1120		
G-83	410	450	290	
G-84	3000	1120		



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillo (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

B-30



Features

Rollover crate galvanized using hot immersion. It includes wheels for easy carrying to its place of work. Allows a great saving of time and effort in the development of numerous tasks: hoof cutting, etc.



Reference	length (L)	height (h)	width. (L)	
B-30,	1450	1100	620	
JECO-1	1500	1050	530	



JECO-1



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

29



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

FEEDING CONVEYOR FOR SHEEP&GOATS



Features

System with self-capturing for sheep. The end and the connections are galvanised using hot immersion. Tray and legs can be manufactured from galvanized steel or stainless steel. The sheep are individually trapped. Top view. Guillotine type system. It allows you to collectively tie the sheep and close them so that they won't be able to eat. View of the central images.

B-32, The camera system to restrain animals on the concrete platform.



Reference	length (L)	height (h)	width. (L)	
B-32	2000	895		
B-321				
CAB 1				
CAB 2				
CAB 3				
GUILLO				
GUILLO 1				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

30



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

SELF-CAPTURING "CAMARA" SYSTEM FEEDING FOR SHEEP&GOATS



Features

System used for restraining the sheep and goats with a self-capturing system. Is galvanized using hot immersion. Tray with stainless steel legs



Reference	length (L)	height (h)	width. (L)	
AMARRE		1180	655	
AMARRE 1		1180	655	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

31



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

D-1, Feed barrow with 2 wheels, volume approximately: 0.36m et 3230 kgs.

D-2, Platform for distributing flour.

D-3, Trailer for moving big bales.

B-17, Goat or sheep milking platform. This is available in different lengths. It contains a restraint system. Includes feed trough.

B-28, Stand-in footbath complete. The used material is stainless steel. It includes two fences G-2 2.5 meters.

B-29, Walk-through footbath for inclusion in race system. The used material is stainless steel. Designed to perfectly match with the B-19.



B-17



B-29



B-28

Reference	length (L)	height (h)	width. (L)
B-17, 12 PLAZAS			
B-17, 24 PLAZAS			
B-17, 18 PLAZAS			
B-28	2500	160	871
B-29	3000	183	535
D-1,	1300	800	760
D-2,	1010	1120	700
D-2, C/M	1010	1120	700
D-3,	2500		1050
D-4			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

A-1, Beef and cows feeding troughs with feet. It is manufactured using perforation. The used material is tinplate.
 A-2, Beef and cows feeding troughs, wider, can be joined together. It is manufactured using perforation. The used material is tinplate.
 A-4, Beef and cows feeding troughs higher and heavier. It is manufactured using perforation. It can be united to create a line. The used material is tinplate.



Reference	length (L)	height (h)	width. (L)	
A-1	3000	750	725	
A-2	3000	438	898	
A-4,	3000	495	900	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
 09400 Aranda de Duero(Burgos) SPAIN
 Telf: 947 51 23 23

Autovía nacional - 5 - km 332
 Trujillos(Badajoz) SPAIN
 Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

33



JAVIER CAMARA
 JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
 Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
 Mobil +407 576 27 840 Tel./Fax +403 324 17 704
 E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-80 CALF CREEP FEEDER



Features

Calf creep feeder with one access.

The used material is tinplate. The legs are removable and galvanized using hot immersion. Includes an adjustable device to perfectly match the funnel filler in various foods that are used.

Calf creep available in three versions:

- 1 Inside building without hurdles.
- 2 Outside without hurdles.
- 3 Outside with hurdles and adjustable entry width.

The calf creep feeder is prepared to carry using tractor coupling. The fence will be adjusted as it is observed in the picture. It facilitates and makes the transport safer.



Reference	length (L)	height (h)	width. (L)	
A-80, C	2000	1070	840	
A-81,	2000	1070	840	
A-82	2000	1070	840	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES


34



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

FEEDING HOPPER A-10, A-12 WITH ONE ACCESS



Features

A-10, Double sided galvanised self feeder hoppers for calves and horses. The used material is tinplate. Legs can be adjusted and removable. Includes regulator to control feed flow. Capacity one and a half tons approx.

A-12, Single side feeder. Large range of sizes, legs and height, includes feed control system, ideal for calf/ barley beef fattening units, an example of which is shown below.



Reference	length (L)	height (h)	width. (L)	
A-10	2500	1890	1166	
A-10, CAMPO	2500	1890	1166	
A-12, CH 2,5	2500	1780	1420	
A-12, CH 2,5 1S	2500	3300	1420	
A-12, CH 3	3000	1780	1420	
A-12, CH 3 1SU	3000	3300	1420	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

35



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

STABLES FOR INTENSIVE BREEDING



Features

See the livestock farming intensive with a single access in 3D.

One side of fattening system, individual washing pens and for groups of animals.



Reference	length (L)	height (h)	width. (L)	
A-12, CH 4 1S	4000	3300	1420	
A-12, CH 4 2S	4000	4685	1420	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

36



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-21 FEEDING HOPPER FOR COWS



Features

A-21 double hopper for concentrated. The used material is tinplate. It includes a device for adjusting the fodder and a scale. The legs are removable. There's a great variety of models. The length of the tray is made from 2 up to 4 metres. Also, there are different heights for the hopper. The tray may be fabricated using stainless steel. On the upper part the device makes it easy to upload the food. A pulley can be placed to open the lid of the foodground. It is watertight so that it can be left on the outside.



Reference	length (L)	height (h)	width. (L)	
A-21, 2,5 MTS	2500	3330	1700	
A-21, 2,5 SUPL	2500	4713	1700	
A-21, 3 METROS	3000	3330	1700	
A-21, 4 METROS.	4000	3330	1700	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

37



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

See the cattle feeder with double sided A-21. Interior overhead view of fattening units. Shows car feeder with bird control, avoiding bird entry and foulh in the trough. A-22 Hopper for horned cattle. Tray is designed for large horned animals to eat more comfortable. Available in different lengths. The tray can be made of stainless steel. It includes a device for adjusting the fodder and a weigher. Removable legs



Reference	length (L)	height (h)	width. (L)	
A-22	2500	3300	2000	
A-22, 3MTS	3000	3300	2000	
A-60	2500			
A-61	3000			
A-610	2500			
A-611	3000			



A-22



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 61
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-23, A-24 WHEELED FEEDERS



Features

A-23, Double sided wheeled feeders which take 9,1 m³ approximately. The lower body is manufactured from 3 mm galvanized sheet. Includes food regulating system and suitable for cattle with or without horns. The A-23 hopper can be sold with selective case. Tighten the hopper for easy transport.

A-24, Single sided feeders for cows. Aprox volume: 4.50m. The lower body is manufactured from 3 mm galvanized sheet. It includes adjustment devices of animal feed and launches winding/roll. The tray is ready for animals with large horns.



A-23P

Reference	length (L)	height (h)	width. (L)	
A-23	3000	3270	2000	
A-23,P				
A-24	3000			
A-24,P				



A-24



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

39



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-16 PORTABLE CATTLE RACE



Features

Available in several sizes. Is galvanized using hot immersion which provides durability and resistance. Portable cattle race, hot dipped galvanized in 50 mm tube, easily assembled with self capturing gate A-18 and sliding rear gate A-20. Welded by lasers for more solidity and resistance.



Reference	length (L)	height (h)	width. (L)	
A-16 3 MTS	3000			
A-16 6 MTS	6000			
A-16 9 MTS	9000			
A-16, 12 MTS	12000			
A-16, 15 MTS	15000			
A-16, 15 MTS C	15000			
A-17	9000			
A-17, 3MTS	3000			
A-62				
A-63	3000	1700		
A-64	3000	1700		
A-65				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

40



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-16 PORTABLE CATTLE RACE



A-16 C

Features

Cattle race with loading ramp. It is made in different lengths. Galvanized using hot immersion which provides durability and resistance. Detachable - easy to mount and transported. Includes a trap on the front door A-18 and a sliding rear gate A-20.

All tubes have a 50mm diameter and are united using laser. They make the weldings durable and resistant. View from below: wall attached technology corridor for cattle.



Reference	length (L)	height (h)	width. (L)	
A-16, 3 MTS C	3000			
A-16, 6 MTS C	6000			
A-16, 9 MTS C	9000			
A-16, 12 MTS C	12000			
A-66	2900		700	
A-69				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

41



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



A-19

Features

A-18, Trap door. Includes coupling system and opening from the side. Avoid dangers to place in front of the door.

A-19, Trap door galvanized using hot immersion. This includes adjusting the width and allows its use for all kinds of animals.

A-20, Guillotine door. This allows a quick closure technology corridor.



A-18



A-20

Reference	length (L)	height (h)	width. (L)	
A-18				
A-19				
A-20				



A-17



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-45 RESTRAINING STAND FOR CATTLE



Features

Restraining stand for cows. It is galvanized using hot immersion.



Reference	length (L)	height (h)	width. (L)	
A-45,	3000	1050	1800	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

43



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

PARTITION FOR BIRTH FOR COWN



Features

Partition for birth for cowns. They can be manufactured individual or double and are galvanized using hot immersion. The used material is the tube of 60x3 and the pillar is 114x3 mm. A-18, Trap door. Includes coupling system and opening from the side. Avoid dangers to place in front of the door. A-19, Trap door galvanized using hot immersion. This includes adjusting the width and allows its use for all kinds of animals. A-20, Guillotine door. This allows a quick closure technology corridor. A-45, Content box galvanized using hot immersion. Using this box you can accomplish all the tasks.



Reference	length (L)	height (h)	width. (L)	
CUB D	4100			
CUBI IND	2050			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

44




JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO




Features

Fences and gate for cows. There are two forms: 2 and 3 metres long and they are galvanized using hot immersion. Attached by the excellent American chain system in tube of 40 and 50 mm with seven rails. Also available with curved feet (see diagram) to ease movement. The folding doors are manufactured using 4 pipes of 60mm galvanized using hot immersion. They can be found in multiple lengths. Can also include the option of a fifth tube attached to the inside.



Reference	length (L)	height (h)	width. (L)	
G-16,40 3M	3000	1600		
G-16,50 2M	2000	1650		
G-16,50 3M	3000	1650		
G-20, 2MTS	2000	1650		
G-20,3MTS	3000	1650		
G-496	4000	1100		
G-6, 40 2MTS	2000	1600		
G-6, 40 3 MTS	3000	1600		
G-6, 50 2MTS	2000	1650		
G-6, 50 3 MTS	3000	1650		



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 61
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-5, A-6 FEEDING CIRCULAR HAY RACK FOR COWS/EQUINS



Features

A-6, Round feeders for horses and cattle. It is designed for circular bales circular and can be used for both cattle and horses. It provides a more convenient food supply. Avoid wastage. Easily assembled hot dipped galvanised and available with exterior roof an three-point linkage. A-5, Trough with hay rack for cattle and horses. The used material is tinplate. Detachable. It can be sold with roof for outside usage.



Reference	length (L)	height (h)	width. (L)	
A-5	2500	1120	566	
A-5, CON TECHO	2500	1120	566	
A-6		1280	2200	
A-6 con techo		1280	2200	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

46



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-32, A-33 FEEDING HAY RACKS FOR COWS WITH ROOF



Features

A-32, Double sided feeding hay racks for cattle and horses. It is galvanized using hot immersion. Is detachable. A side part makes the transportation easier. Roof optional.

A-33 Single sided feeding hay racks. Is manufactured from 3 mm galvanized sheet. Is detachable. On the back side can be made the discharge. It can be coupled doors in the back side. Optional roof.



Reference	length (L)	height (h)	width. (L)	
A-32,	3000	1240	1580	
A-32, 2AN	3000	1240	2000	
A-32, TECHO	3520	2185	2160	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

47



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-30, A-31, A-34 FEEDING HAY RACKS FOR COWS



Features

A-34, Feeding hay rack with double sided. Is galvanized using hot immersion. Detachable.

A-30, Feeding hay rack with single sided. Suitable for small horned animals. Is manufactured from 3 mm galvanized sheet. Optional roof for outside.

A-31, Feeding hay rack with double sided. Suitable for de horned cattle only. Is manufactured from 3 mm galvanized sheet using hot immersion. Optional roof for outside usage.



Reference	length (L)	height (h)	width. (L)	
A-30,	3000	1990	1420	
A-30, TECHO	3000	1990	1420	
A-31	3000	1990	1700	
A-31, TECHO	3000	1990	1700	
A-33	3000	1990	1420	
A-33, T				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

48



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-34 FEEDING THROUGH FOR CATTLE



Features

A-34 Feeding through for cattle with double access. it is galvanized using hot immersion. the parts are detachable.



Reference	length (L)	height (h)	width. (L)	
A-34,	3490	1280	2090	
ESQ 3	3000			
ESQ 4	4000			
ESQ 5	5000			
ESQ 6	6000			
ESQ A 3	3000			
ESQ A 4	400			
ESQ A 5	5000			
ESQ A 6	6000			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

49



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

LS-1. Self service feeder 1 tube. Good for calves less than 200 kg.
 LS-2. Self service feeder 2 tube. Galvanized using hot immersion. Made in tube diameter 76 mm thickness. Adjustable, it can be adapted to all dimensions. Various measures.(1-6 meters)
 LS-3. Self service feeder 3 tubes. Galvanized using hot immersion. Made in tube diameter 76 mm thickness. Equipped with a third tube, adjustable.



Reference	length (L)	height (h)	width. (L)	
LS 4 MTS	4000			
LS 5 MTS	5000			
LS 6 MTS	6000			
LSM 2	2000			
LSM 3	3000			
LSM 4	4000			
LSM 5	5000			
LSM 6	6000			
LSR 3 MTS	3000			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
 09400 Aranda de Duero(Burgos) SPAIN
 Telf: 947 51 23 23

Autovía nacional - 5 - km 332
 Trujillos(Badajoz) SPAIN
 Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

50



JAVIER CAMARA
 JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
 Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
 Mobil +407 576 27 840 Tel/Fax +403 324 17 704
 E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-35, A-36, A-47 FEEDING HAY RACKS



Features

A-35, Feeding hay racks with roof for cows/equins with double sided. All tubular materials are galvanized using hot immersion. The two parts have hinges which makes it easy to upload the food. Curved legs make the transportation easier. Optionally may have a third attachment point.

A-36, Feeding hay racks with double sided. All tubular materials are galvanized using hot immersion. The two parts have hinges which makes it easy to upload the food. Curved legs make the transportation easier. The grilles are variable which results in a better food usage. Designed for round bales. The uploading is done using the sides.



Reference	length (L)	height (h)	width. (L)	
A-35, ACERO	3020	2360	2000	
A-35, AMARRES	3020	2360	2000	
A-35, CHAPA	3020	2360	2000	
A-36, ACERO	3020	2542	2000	
A-36, CHAPA	3020	2542	2000	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

51



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

A-351 /A-352 Rectangular feeding through with double access for cattle/horses. Thanks for its curved legs, the transportation is easier. Dimensions: 2m/1m. A-355/A-356 RECTANGULAR FEEDING THROUGH WITH DOUBLE ACCESS FOR CATTLE/HORSES. THE TRANSPORTATION IS EASIER THANKS FOR THE CURVED LEGS. 3x2



Reference	length (L)	height (h)	width. (L)	
A-351	2000		2000	
A-352	2000		2000	
A-355	3000		2000	
A-356	3000		2000	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

52



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-41, A-42 FEEDING HAY RACKS FOR COWS/EQUINS



Features

Trailer A-41, Mobile hay racks for cows/equins. The tray is manufactured using 3mm tinplate or stainless steel. All tubular materials are galvanized using hot immersion. The lance is detachable and incorporates an anti collapse system.

Trailer A-42, Feeding hay racks for cows/ equins. The tray is manufactured using 3mm tinplate or stainless steel. All tubular materials are galvanized using hot immersion.



Reference	length (L)	height (h)	width. (L)	
A-41, ACERO	6110	2700	2190	
A-41, CHAPA	6110	2700	2190	
A-42, ACERO	6110	2700	2190	
A-42, CHAPA	6110	2700	2190	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

53



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-43, A-44 FEEDING HOPPER GRANULATED MOBILE



Features

Feeding hopper A-43 that distributes granulates. It is used for mass food distribution. It is possible to adjust the weight for each mass, in this way it provides a quick and safe animals feeding. The trailer can be register for public roads usage.

Trailer A-44, Cattle and horses feeding hopper. Developed for towing behind a car. The tray is manufactured using tinplate. All tubular materials are manufactured using galvanized stainless steel using hot immersion.



Reference	length (L)	height (h)	width. (L)	
A-43	2650	1340	2650	
A-44				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

54



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

Self capturing for cows A-13, Self-capturing system for animals with small horns. It is galvanized using hot immersion. The frame is manufactured using 60x3mm tubes easy to construct.

A-14. Self-capturing system for animals with or without horns. It is galvanized using hot immersion. The frame is manufactured using tubes of 60x3 mm and is designed for easy mounting. A-15. Self-capturing system wich allowed animals to lie down confortably. It is galvanized using hot immersion. The surround is manufactured using tubes of 60x3 mm and is easy to construct.



Reference	length (L)	height (h)	width. (L)	
A-13				
A-131	2760			
A-132	3455			
A-133	4150			
A-134	4840			
A-135	5530			
PIA				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

55



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-14 SELF CAPTURING FOR COWS WITH AND WITHOUT HORNS



Features

A-14. Self-capturing system for animals with or without horns. It is galvanized using hot immersion. The frame is manufactured using tubes of 60x3 mm and is designed for easy mounting.



Reference	length (L)	height (h)	width. (L)	
A-14				
A-141	3940			
A-142	4740			
A-143	5540			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

56



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

A-15 SELF-CAPTURING FOR COWS WITH REST AREA



Features

A-15 Self-capturing system which allowed animals to lie down comfortably. It is galvanized using hot immersion. The surround is manufactured using tubes of 60x3 mm and is easy to construct.



Reference	length (L)	height (h)	width. (L)	
A-15	1000			



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

57



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hala 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

Example of building with feed access. Very easy to construct without professional help. The whole structure is hot dipped galvanised welded by lasers. No need for welding all joints bolt together. All the pieces are mounted with (the help of) screws.

A-141. Mobile restraint system. It can be manufactured with A-13 or A-14. You don't need civil works for the installation. Length of panels can be constructed according to needs of our customers. The transport is very simple.



Reference	length (L)	height (h)	width. (L)	
A-148				
A-149				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

58



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

VARIOUS CALF BOXES



Features

BO-1 Individual boxes for outside usage. These include a polyethylene cab and a pound galvanized using hot immersion.
BO-6 Sheet boxes for outside usage. They include steel boxes pre-painted in green. Are manufactured using perforation. They are connected with (the help of) screws. The fences are galvanized and include restraint systems. They have 2 tanks (one with straws and one with fodder) and hooks which makes the transportation easier. The picture below represents a calves hall with restraint system



Reference	length (L)	height (h)	width. (L)	
BO-1	2656	1285	1046	
BO-2	1301	1285	1046	
BO-3				
BO-4				
BO-5	6831	1681	2813	
BO-6	6831	1681	2813	
BO-7	3731	1681	2813	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

59



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

Mobile cattle grids There are 2 models: one of 3x2 m and another of 4x2m. The used material is 6mm tinplate, galvanised using hot immersion. It makes the canadian passage more resistant and allows to all types of vehicles. Container for dead stock made in stainless steel with hot dipped galvanised tubes. There are two models. One with a capacity of 479 liters, and the other of 1,144 liters. Very robust.



Reference	length (L)	height (h)	width. (L)	
CONT GR	1500	700	1058	
CONT PEQU	1030	681	665	
PASO	3000	500	2000	
PASO C	4000	500	2000	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

60



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

Hoppers and silos. They are manufactured in different sized. The fodder can be outputted from a side or from center. The used material is tinsplate.



Reference	length (L)	height (h)	width. (L)	
TO-1	1200	1500	1600	
TO-2	1200	1050	1600	
TO-3	1200	2550	1600	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

61



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

C-1,C-2,C-3,C-4,C-20 PIG FEEDERS



C-4



C-1,C-2,C-3

Features

C-1, C-2, C-3, Pig feeders in various sizes.

C-4. Tray length can be from 2 to 4 meters. The used material is tinplate or stainless steel.

Pig feeder developed for adult pigs. Includes anti-waste system and supply control. Piped can be added to give the possibility of feeding mash.

C-20 Double sided pig finishing feeder for mash feeding. Height is adjustable.



Reference	length (L)	height (h)	width. (L)	
C-1, ACERO	375	333	184	
C-1, CHAPA	375	333	184	
C-2, ACERO	500	500	260	
C-2, CHAPA	500	500	260	
C-20,1MTS	1000	950	600	
C-3, ACERO	1000	830	410	
C-3, CHAPA	1000	830	410	
C-4, AC 2,5S	2500	2800	1400	
C-4,AC 3MTS	3000	2800	1400	
C-4,AC 4MTS	4000	2800	1400	
C-4,CH 2,5S	2500	2800	1400	
C-4,CH 3MS	3000	2800	1400	
C-4,CH 4MT	4000	2800	1400	



C-20



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillanos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

C-5,C-6 C-61 FEEDING HOPPER FOR PIGS



C-5



detalle de salida
de pienso

Features

Double sided pig feeder. The bottom side is made of tinplate or stainless steel. Includes feed control system, staircase, large range of models. There are a variety of models. The length of the feed surface can be from 2 to 4 meters. The height is 2 m 80 or 3 m 80 and the capacity from 6 up to 15 t. At the top, it incorporates a girder. The opening system is very simple. It is watertight so that it can be left in the field. C-5 Dry tray
C-6 Pacifier feeder to mix the fodder
C-61 Mixed feeder. It is used for both dry and wet food.



C-6



C-61

Reference	length (L)	height (h)	width. (L)	
C-5, AC 2,5	2500	2800	1700	
C-5, CH 2,5	2500	2800	1700	
C-5, CH 3	3000	2800	1700	
C-6, AC 2,5	2500	2800	1700	
C-6, AC 2,5 SU	2500	4300	1700	
C-6, AC2 2,5	2500	2800	1700	
C-6, CH 2,5	2500	2800	1700	
C-6, CH 2,5 SU	2500	4300	1700	
C-61, AC 2,5	2500	2800	1700	
C-61, AC 2,5 SU	2500	4300	1700	
C-61, CH 2,5	2500	2800	1700	
C-61, CH 2,5 SU	2500	4300	1700	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

C-7,C-8,C-10 FEEDING HOPPER FOR PIGS



C-7 Sup



C-7

Features

C-7 Double sided feeder for pigs. The bottom side is made of tinplate or stainless steel. It includes a device for adjustable feed control. It is designed in such way that swine of up to 70 kg can eat optimally. It can be manufactured in different measures of length and height. Available capacity 2 1/2 to 6 tons.

C-8 Double sided creep feed hopper for sucking pigs. Can be made with exterior to keep out sows. Approximate capacity is 650 kgs.

C-10 Feeder for adult pigs. Capacity is from 500 up to 5000 kgs. The used material is tinplate or stainless steel.



C-8



C-10

Reference	length (L)	height (h)	width. (L)	
C-10, AC 2,0M	2000	1000	1000	
C-10, AC 2,5M	2500	1000	1000	
C-10, AC 3M	3000	1000	1000	
C-10, CH 2	2000	1000	1000	
C-10, CH 2,5	2500	1000	1000	
C-10, CH 3	3000	1000	1000	
C-7, CH 2,5	2500	1465	1245	
C-8	2000	960	660	
C-8, PARKING	2000	960	660	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 61

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

64



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel./Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

C-17 Pig hut in green lacquered sections. Easily assembled and taken apart.

C-16 Farrowing boxes for pigs in green lacquered sections. Easily assembled.

C-11, Movable pig trough. It's sold in different lengths. The used material is galvanised tinplate or stainless steel. C-12, Pig race. Used for treatment and selection in outdoor system. On the back side it has a guillotine door. This door has 2 ways for animals sorting. On the front side it has a blacksmith hammer.

C-18 Pig trap. Is made of galvanized tube. Create for easy manipulation of single pigs.



Reference	length (L)	height (h)	width. (L)	
C-11	3000	105	405	
C-12, 3 MTS	3870			
C-12, 6 MTS	6870			
C-12, 9 MTS	9870			
C-15				
C-16	2100	1310	2065	
C-17	3731	1681	2813	
C-18	1320	830	500	
C-9 PARS				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO



Features

BA-1, Sheep and swine scale with hook. It is mobile and incorporates wheels. It has a maximum capacity of approximately 500 kg.

BA-2, Sheep and swine electronic scale with wheels. It has a maximum capacity of approximately 500 kg.

BA - 3, Cattle scale. The maximum capacity of weighing is 1500 kg. Has two sliding doors and a brake for better weighing.

BA-4, Cattle electronic scale. The maximum capacity of weighing is 1500 kg. It includes two sliding doors. BA-6, Lambs automatic scale. They can be build from 3 to 10 outputs. The weight is adjustable.

BA-7, Sheep Scale with three outputs. Adjustable in width. Electronically up to 250 kg. Is galvanized using hot immersion and includes wheels for easy transport.

BA-8, Scale with platform. It is manufactured in various sizes. Electronically.



Reference	length (L)	height (h)	width. (L)	
BA-1	1650	1160	700	
BA-2	1650	1160	700	
BA-3	2420	1685	1100	
BA-4	420	1685	1100	
BA-9				
BA-91				



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP 700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

DRINKING TROUGH



Features

F-1, Drinking trough with overhead supply tank of 390 to 615 liters. It is made of tinplate.

F-3, Wall attachable sheep drinking trough. It's manufactured in different lengths: 0.5, 1 or 2 meters. The used material is stainless steel or tinplate, galvanized using hot immersion. Includes wall brackets for height adjustment and ball valve.

F-4 Drinking trough on legs for sheep. The length of the legs is 1.5 meters and they are made of stainless steel. The drinking trough includes a ball valve. Various models and lengths available, see the inferior part.



Reference	length (L)	height (h)	width. (L)
F-1, 390	1250		635
F-1, 615	1250		795
F-15, CENTRAL	1000	105	210
F-3 2 M GAL			
F-3 2M AC			
F-3, 0,5 ACE	500	105	210
F-3, 0,5 GAL	500	105	210
F-3, 1 MT AC	1000	105	210
F-3, 1 MT VIS	1000		
F-3, 1MT GAL	1000	105	210
F-4	1500	100	270



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero (Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos (Badajoz) SPAIN
Telf: 924 32 71 61

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

67



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

SHEEP DRINKING TROUGH



Features

F-6, Cattle drinking trough used for beef finishing systems. Manufactured in 2 models: a wall attachable one and another used on the floor. It's made of stainless steel. These ones include a ball valve.

F-7, Drinking trough with adjustable legs available in lengths of 1 to 4 meters. Includes ball valve. It is made of stainless steel or galvanised tinplate.

F-7 Giant. For bigger volume F-7. Made of stainless steel from 2 to 4 meters. Adjustable legs.

F-21 Drinking troughs hinged to tip over for cleaning. They are made of stainless steel with a length of 1 to 3 meters. They include a ball valve.



Reference	length (L)	height (h)	width. (L)	
F-21,1,5 M	1500	195	390	
F-21,2MTS	2000	195	390	
F-21,3MTS	3000	195	390	
F-6,C 1MTS	1000	195	390	
F-6,P 1 MT	1000	195	390	
F-7, 1 MT	1000	310	780	
F-7, 2 MTS	2000	310	780	
F-7, 3 MTS	3000	310	780	
F-7, 4 MTS	4000	310	780	
F-7, 4 MTS GIG	4000	360	890	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillos(Badajoz) SPAIN
Telf: 924 32 71 81

contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

68



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +405 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO

RINKING TANK WITH WHEELS



Features

F-10, Automatic pig drink. They are made of stainless steel in lengths of 2 or 3 meters and includes a ball valve.

F-22 Mobile water tank with drinking trough. It can be sold with a bottom pond. It is galvanized using hot immersion. Capacity 5000 l approx. can be adapted for legal road use.

F-23 Mobile water tank. It can be sold with a bottom pond. It is made of stainless steel. Constructed for use behind a car.

F-23



Reference	length (L)	height (h)	width. (L)	
F-10, 2 MTS	2000	195	390	
F-10, 3 MTS	3000	195	390	
F-22 B	4900	2200	2000	
F-22,	4480	2200	2000	



JAVIER CAMARA

Pol. Allende-Duero, parcelas 123-125
09400 Aranda de Duero(Burgos) SPAIN
Telf: 947 51 23 23

Autovía nacional - 5 - km 332
Trujillanos(Badajoz) SPAIN
Telf: 924 32 71 81
contactar@javiercamara.es
WWW.JAVIERCAMARA.ES

69



JAVIER CAMARA
JAVIER CAMARA

JAVIER CAMARA EST EUROPE SRL
Str. Calea Chisinaului nr. 22, Hale 4, CP700264 IASI - ROMANIA
Movil +407 576 27 840 Tel/Fax +403 324 17 704
E-mail client@javiercamara.ro WWW.JAVIERCAMARA.RO





Based on the concept that quality is not controlled, it is manufactured, **Javier Cámara INDUSTRIAS GANADERAS** has for its entire production process most advanced technology.

Robotised welding, mechanical centers, bending machines, drilling machines and laser tube machine etc ... are the basis and foundation of a quality plan that allows the manufacture of our equipment according to the highest quality requirements.

But with all this, **Javier Cámara INDUSTRIAS GANADERAS** provides a comprehensive response covering manufacturing, transport and assembly, adding a post-sale service before any unforeseen.





JAVIER CAMARA

INDUSTRIAS GANADERAS

BURGOS

Polígono Industrial Allendeduero, P. 123-125
Ctra. Valladolid, s/n
09400 ARANDA DE DUERO
Tel. 947 512 323 - Fax 947 512 388
contactar@javiercamara.es



BADAJOS

Autovía Nacional V, km. 332
06892 TRUJILLANOS (a 5 km de Mérida)
Tel. 924 327 181 - Fax 947 327 379

RUMANÍA

Iași, Calea Chișinăului, nr. 22, Hala 4
Cod Postal 700264
Tel. / Fax +40 332 417 704
Movil +40 751 123 203
client@javiercamara.ro



Javier Cámara
Industrias ganaderas, S.L.