TECHNICAL SPECIFICATION





ECO CHARGER E-ATV IS BUILT AS A WORKHORSE. RIGOROUS TESTING, CONTROLLED PRODUCTION AND QUALITY COMPONENTS MAKE IT A MACHINE YOU CAN RELY ON.

ELMATOR

Featuring amazing torque for towing, regenerative braking to preserve power, electric power steering and quiet operation. Start making savings now and into the future – improve your environmental credentials – take a look at the impressive Eco Charger E-ATV.

LEADING THE CHARGE

TECHNICAL SPECIFICATION



HIGHLIGHTS

- UP TO 30MILES/48KM (DEPENDENT ON TERRAIN)
- REGENERATIVE BRAKING AS STANDARD
- ELECTRIC SWITCHABLE 2WD/ 4WD AND DIFF LOCK
- EASY GEAR PRESELECT ION

- ELECTRIC POWER STEERING AS STANDARD
- ALLOY WHEELS
- FRONT WINCH OPTION
- HAND GUARDS

• COLOUR OPTIONS - BLACK/WHITE/GREEN* • BESPOKE COLOUR OPTIONS POSSIBLE*

*These options may incur extra cost

TECHNICAL SPECIFICATION



MOTOR

- 15 kW max. Permanent magnet DC motor
- 4 Quadrant with micro-processor control
- Sealed AGM 72 volt, 100 Ah (7.2 kWh)
- Regenerative Braking

TRANSMISSION

• Automatic drive with high and low shift equipped with switchable forward and reverse

DIMENSIONS & WEIGHT



R

Weight - 496 kg

- A 2150mm B 1280mm
- C 1250mm
- D 890mm
- E 1320mm



/ecochargerquad

BRAKES

- Hydraulic Front: R/L Disc brake
- Rear: Disc brake

SUSPENSION

- Front & Rear: Dual A-arm with 5 way preload adjustable shocks
- EcoCharger Ltd 70 Gazelle Road Weston Industrial Estate Weston-super-Mare **BS24 9ES**



0844 5883048

ecochargerquads.com

hello@ecochargerquads.com

Overby Export Consulting

Tlf. +45 20 59 51 16 tov@overbyexportconsulting.com www.overbyexportconsulting.com